

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1050 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	1.380
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	264
<b>Description</b>	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1200 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	1.600
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	306

### Description

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1500T1 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	4.700
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	899
<b>Description</b>	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1500T2 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	7.700
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	1473

### Description

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1800T1 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	6.300
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	1205
<b>Description</b>	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN1800T2 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	8.300
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	1587
<b>Description</b>	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.



# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN2100 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	11.000
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	2104
<b>Description</b>	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

# ENVIRONMENTAL PRODUCT DECLARATION



## MANUFACTURER

<b>Manufacturer</b>	FP McCann
<b>Address</b>	3 Drumard Road, Knockloughrim
<b>Website</b>	fpmccann.co.uk
<b>Period of Data</b>	2023

## PRODUCT

<b>Declared Product</b>	DN2400 Catchpit Unit
<b>Product Range</b>	Drainage
<b>Place of Production</b>	United Kingdom
<b>Product Mass (T)</b>	14.000
<b>GWP, A1-A3 (Kg CO<sub>2</sub>e)</b>	2678

### Description

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW  
OUR SUSTAINABILITY BOOKLET

**MARK MCCANN**  
Director/Chief Engineer

## GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

## STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

## SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



## SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).  
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.