



MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN300 11.25° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.066 |
| GWP, A1-A3 (Kg CO ₂ e) | 9 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct Sta | age | Constr | uction | | Use Stage | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN375 11.25° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.117 |
| GWP, A1-A3 (Kg CO ₂ e) | 15 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of li | fe stage | Beyond the system boundary | | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|------------------|----------------------------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | ВЗ | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN450 11.25° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.109 |
| GWP, A1-A3 (Kg CO ₂ e) | 14 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer



GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | | Use Stage | | | | | | | | fe stage | Beyond the system boundary | | | |
|---------------|----------------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|------------------|----------------------------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN525 11.25° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.140 |
| GWP, A1-A3 (Kg CO ₂ e) | 18 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct Sta | age | Constr | uction | | Use Stage | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN600 11.25° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.188 |
| GWP, A1-A3 (Kg CO ₂ e) | 25 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of li | fe stage | Beyond the system boundary | | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|------------------|----------------------------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | ВЗ | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Χ | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN750 11.25° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.502 |
| GWP, A1-A3 (Kg CO ₂ e) | 66 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct Sta | age | Constr | uction | | Use Stage | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|-------------------|-----------|------------------|----------|----------------------------|----------|-----------|
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN300 22.5° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.079 |
| GWP, A1-A3 (Kg CO ₂ e) | 10 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of li | fe stage | Beyond the system boundary | | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|------------------|----------------------------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | ВЗ | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Χ | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN375 22.5° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.142 |
| GWP, A1-A3 (Kg CO ₂ e) | 19 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN450 22.5° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.139 |
| GWP, A1-A3 (Kg CO ₂ e) | 18 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | End of life stage | | | | Beyond the system boundary | | | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|----------------------------|----------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN525 22.5° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.200 |
| GWP, A1-A3 (Kg CO ₂ e) | 26 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | End of life stage | | | | Beyond the system boundary | | | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|----------------------------|----------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN600 22.5° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.289 |
| GWP, A1-A3 (Kg CO ₂ e) | 38 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | End of life stage | | | | Beyond the system boundary | | | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|----------------------------|----------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN750 22.5° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.661 |
| GWP, A1-A3 (Kg CO ₂ e) | 87 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | End of life stage | | | | Beyond the system boundary | | | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|----------------------------|----------|-------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN300 45° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.112 |
| GWP, A1-A3 (Kg CO ₂ e) | 15 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | End of life stage | | | | Beyond the system boundary | | | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|----------------------------|----------|-------|----------|-----------|
| A1 | A2 | АЗ | A4 | A5 | B1 | 1 B2 B3 B4 B5 B6 B7 | | | | | | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN375 45° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.199 |
| GWP, A1-A3 (Kg CO ₂ e) | 26 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

for materials, energy and transport.

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|-------------------|-----------|------------------|----------|----------------------------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | 1 B2 B3 B4 B5 B6 B7 | | | | | | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Χ | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN450 45° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.232 |
| GWP, A1-A3 (Kg CO ₂ e) | 30 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport. |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | duct Stage Construction | | | | Use Stage | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|-------------------|-----------|------------------|----------|----------------------------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B1 B2 B3 B4 B5 B6 B7 | | | | | | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN525 45° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.400 |
| GWP, A1-A3 (Kg CO ₂ e) | 53 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | oduct St | age | Constr | uction | | Use Stage | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|-------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|-------------------|-----------|------------------|----------|----------------------------|----------|-----------|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 B3 B4 B5 B6 B7 | | | | | | C1 | C2 | C3 | C4 | D | D | D |
| X | Χ | Χ | | | | Modules Not Declared | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN600 45° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.513 |
| GWP, A1-A3 (Kg CO ₂ e) | 67 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN750 45° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 1.087 |
| GWP, A1-A3 (Kg CO ₂ e) | 143 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN300 90° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.167 |
| GWP, A1-A3 (Kg CO ₂ e) | 22 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN375 90° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.270 |
| GWP, A1-A3 (Kg CO ₂ e) | 35 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|-------------------|----------|-------|----------|----------------------------|--|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | ВЗ | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | | |
| X | Χ | Χ | | | | Modules Not Declared | | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN450 90° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.352 |
| GWP, A1-A3 (Kg CO ₂ e) | 46 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN525 90° One Piece Bend |
|-----------------------------------|--|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.750 |
| GWP, A1-A3 (Kg CO ₂ e) | 99 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

for materials, energy and transport.

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----|-------------|----------------------|-------------|---------------|--------------------|-------------------|----------------|-----------|-------------------|----------|-------|----------|----------------------------|--|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | ВЗ | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | | |
| X | Χ | Χ | | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN600 90° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 0.898 |
| GWP, A1-A3 (Kg CO ₂ e) | 118 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----------|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-------------------|------------------|----------|-------|----------------------------|-----------|--|
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | |





MANUFACTURER

| Manufacturer | FP McCann |
|----------------|-------------------------------|
| Address | 3 Drumard Road, Knockloughrim |
| Website | fpmccann.co.uk |
| Period of Data | 2023 |

PRODUCT

| Declared Product | DN750 90° One Piece Bend |
|-----------------------------------|---|
| Product Range | Drainage |
| Place of Production | United Kingdom |
| Product Mass (T) | 1.810 |
| GWP, A1-A3 (Kg CO ₂ e) | 238 |
| Description | Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be |



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



| Pro | Product Stage Construction | | | | | Use Stage | | | | | | | | End of life stage | | | | Beyond the system boundary | | |
|---------------|----------------------------|---------------|-----------|--------------|-----|----------------------|--------|-------------|---------------|--------------------|-------------------|----------------|-----------|-------------------|----------|-------|----------|----------------------------|--|--|
| A1 | A2 | А3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | В6 | В7 | C1 | C2 | C3 | C4 | D | D | D | | |
| X | Χ | Х | | | | Modules Not Declared | | | | | | | | | | | | | | |
| Raw Materials | Transport to site | Manufacturing | Transport | Construction | Use | Maintenance | Repair | Replacement | Refurbishment | Operational energy | Operational water | Deconstruction | Transport | Waste processing | Disposal | Reuse | Recovery | Recycling | | |