

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN300 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.100
GWP, A1-A3 (Kg CO₂e)	13
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN375 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.135
GWP, A1-A3 (Kg CO₂e)	18
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN450 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.155
GWP, A1-A3 (Kg CO₂e)	20

Description

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN525 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.205
GWP, A1-A3 (Kg CO₂e)	27
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN600 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.270
GWP, A1-A3 (Kg CO₂e)	35
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN675 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.870
GWP, A1-A3 (Kg CO₂e)	114
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN750 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.980
GWP, A1-A3 (Kg CO₂e)	129
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN825 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.750
GWP, A1-A3 (Kg CO₂e)	110
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN900 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	0.910
GWP, A1-A3 (Kg CO₂e)	134
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN1050 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.170
GWP, A1-A3 (Kg CO₂e)	172
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN1200 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.585
GWP, A1-A3 (Kg CO₂e)	233
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN1350 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.850
GWP, A1-A3 (Kg CO₂e)	272
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN1500 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	2.230
GWP, A1-A3 (Kg CO₂e)	328
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN1800 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	3.005
GWP, A1-A3 (Kg CO₂e)	441
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.

ENVIRONMENTAL PRODUCT DECLARATION



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	DN2100 Spigot Butt Pipe
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	3.800
GWP, A1-A3 (Kg CO₂e)	558
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW
OUR SUSTAINABILITY BOOKLET

MARK MCCANN
Director/Chief Engineer

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



SYSTEM BOUNDARY

Product Stage			Construction		Use Stage							End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D	D	D
X	X	X						Modules Not Declared										
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Generated with One Click LCA. This is a self-declared Environmental Product Declaration (EPD).
If you require EPDs, visit the world's fastest Building Life Cycle Assessment software - One Click LCA.