



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	300 Standard StormChannel™
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.330
GWP, A1-A3 (Kg CO ₂ e)	251
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Χ				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	400 Standard StormChannel™
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.600
GWP, A1-A3 (Kg CO ₂ e)	306
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	400 Kerb StormChannel™
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	1.700
GWP, A1-A3 (Kg CO ₂ e)	317
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	500 Standard StormChannel™
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	2.250
GWP, A1-A3 (Kg CO ₂ e)	430
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Χ				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Dealered Duadoot	000 Ot I I Ot ITM
Declared Product	600 Standard StormChannel™
Product Range	Drainage
Place of Production	United Kingdom
Product Mass (T)	2.550
GWP, A1-A3 (Kg CO ₂ e)	488
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

for materials, energy and transport.

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Product Stage			Construction				Use Stage				End of life stage				Beyond the system boundary			
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	B6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Χ				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling