



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Slotted Post 1525
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.022
GWP, A1-A3 (Kg CO ₂ e)	4
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct Sta	age	ge Construction					Jse Stage				End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Slotted Post 1830
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.027
GWP, A1-A3 (Kg CO ₂ e)	5
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Slotted Post 2135
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.031
GWP, A1-A3 (Kg CO ₂ e)	6
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Slotted Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.035
GWP, A1-A3 (Kg C0 ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Slotted Post 2745
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.040
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	Stage Construction			Use Stage							End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Heavy Duty Lightweight Slotted Post 3050
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.073
GWP, A1-A3 (Kg CO ₂ e)	14
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled

BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct Sta	age	Constr	uction	Use Stage End of life stage				Use Stage)	Beyond the system boundary				
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Heavy Duty Lightweight Slotted Post 3350
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.080
GWP, A1-A3 (Kg CO ₂ e)	16
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction			Use Stage						End of li	fe stage	Beyond the system boundary			
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Intermediate Heavy Duty Lightweight Slotted Post 3660
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.088
GWP, A1-A3 (Kg CO ₂ e)	17
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	Stage Construction			Use Stage							End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Lightweight Slotted Post 1525
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0348
GWP, A1-A3 (Kg CO ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage						End of life stage				Beyond the system boundary		
A1	A2	АЗ	A4	A5	B1	B2	ВЗ	B4	B5	B6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Lightweight Slotted Post 1830
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0423
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled

McC fpmccann

SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Lightweight Slotted Post 2135
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.049
GWP, A1-A3 (Kg CO ₂ e)	10
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer



GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Lightweight Slotted Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.059
GWP, A1-A3 (Kg CO ₂ e)	12
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Lightweight Slotted Post 2745
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0657
GWP, A1-A3 (Kg CO ₂ e)	13
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Heavy Duty Lightweight Slotted Post 3050
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.078
GWP, A1-A3 (Kg CO ₂ e)	15
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Heavy Duty Lightweight Slotted Post 3350
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.088
GWP, A1-A3 (Kg CO ₂ e)	17
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Corner Heavy Duty Lightweight Slotted Post 3660
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.094
GWP, A1-A3 (Kg CO ₂ e)	19
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Slotted Post 1525
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.025
GWP, A1-A3 (Kg CO ₂ e)	5
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Slotted Post 1830
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.031
GWP, A1-A3 (Kg CO ₂ e)	6
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Slotted Post 2135
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.035
GWP, A1-A3 (Kg CO ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Slotted Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.040
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Slotted Post 2745
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.045
GWP, A1-A3 (Kg CO ₂ e)	9
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	e Construction			Use Stage							End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Heavy Duty Lightweight Slotted Post 3050
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.077
GWP, A1-A3 (Kg CO ₂ e)	15
Description	Concrete is specified in accordance with

BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction	Use Si			lse Stag	е			End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Heavy Duty Lightweight Slotted Post 3350
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.090
GWP, A1-A3 (Kg CO ₂ e)	18
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction	Use Si			lse Stag	е			End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite End Heavy Duty Lightweight Slotted Post 3660
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.106
GWP, A1-A3 (Kg CO ₂ e)	21
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	e Construction			Use Stage							End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite 1830x150x45 Plain Lightweight Gravel Board
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0207
GWP, A1-A3 (Kg CO ₂ e)	4
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite 1830x305x45 SD Plain Lightweight Gravel Board
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0443
GWP, A1-A3 (Kg CO ₂ e)	9
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled

te is specified in accordance with 00 and BS EN 206. The recycled

M.C. phicann

SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite 1830x150x45 Recessed Lightweight Gravel Board
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0196
GWP, A1-A3 (Kg CO ₂ e)	4
Description	Concrete is specified in accordance with

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite 1830x305x45 Recessed Lightweight Gravel Board
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0325
GWP, A1-A3 (Kg CO ₂ e)	6
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite 1830x150x45 Rock Faced High Profile Lightweight Gravel Board
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0403
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled

Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Recessed Lightweight Post 2515
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0533
GWP, A1-A3 (Kg C0 ₂ e)	11
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Fenn Lite Morticed Lightweight Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0427
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	