



MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 1525
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0338
GWP, A1-A3 (Kg CO ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 1830
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0418
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct Sta	age	Constr	uction	Use Stage						End of life stage				Beyond the system boundary			
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 2135
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0477
GWP, A1-A3 (Kg CO ₂ e)	9
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.054
GWP, A1-A3 (Kg CO ₂ e)	11
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 2745
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0627
GWP, A1-A3 (Kg CO ₂ e)	12
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage					End of life stage				Beyond the system boundary			
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Intermediate Morticed Post 2745DB
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0627
GWP, A1-A3 (Kg CO ₂ e)	12
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct Sta	age	Constr	uction		Use Stage			End of life stage				Beyond the system boundary					
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 1525
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0347
GWP, A1-A3 (Kg CO ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

1/1/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage					End of li	fe stage	•	Beyond the system boundary				
A1	A2	АЗ	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 1830
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0417
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage					End of life stage				Beyond the system boundary			
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 2135
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0487
GWP, A1-A3 (Kg CO ₂ e)	10
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 2440
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0572
GWP, A1-A3 (Kg CO ₂ e)	11
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B1 B2 B3 B4 B5 B6 B7						C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 2745
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0613
GWP, A1-A3 (Kg CO ₂ e)	12
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP


This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Corner Morticed Post 2745DB
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0613
GWP, A1-A3 (Kg CO ₂ e)	12
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			uction	Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B1 B2 B3 B4 B5 B6 B7						C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Recessed Post 1500
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0459
GWP, A1-A3 (Kg CO ₂ e)	7
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage				End of life stage				Beyond the system boundary				
A1	A2	АЗ	A4	A5	B1	B2	B3	B4	B5	B6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Recessed Post 1750
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0541
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Recessed Post 3160
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0667
GWP, A1-A3 (Kg CO ₂ e)	10
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Constr	uction		Use Stage				End of life stage				Beyond the system boundary				
A1	A2	АЗ	A4	A5	B1	B2	B3	B4	B5	B6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Recessed Post 2515
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0733
GWP, A1-A3 (Kg CO ₂ e)	11
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction			Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Recessed Post 3125
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.100
GWP, A1-A3 (Kg CO ₂ e)	20
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used for materials, energy and transport.



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Morticed/Recessed Post Gravel Board 2400
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0406
GWP, A1-A3 (Kg CO ₂ e)	8
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

97%. Generic industry data has been used

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Morticed/Recessed Post Gravel Board 2590
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0438
GWP, A1-A3 (Kg CO ₂ e)	9
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Morticed/Recessed Post Gravel Board 2700
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0463
GWP, A1-A3 (Kg CO ₂ e)	9
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.

STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage Construction				Use Stage								End of life stage				Beyond the system boundary		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D	
X	Χ	Х				Modules Not Declared													
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling	





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Morticed/Recessed Post Gravel Board 2885
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0506
GWP, A1-A3 (Kg CO ₂ e)	10
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

11/1/

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	Product Stage			uction	tion Use Stage						End of li	fe stage)		nd the sy ooundar			
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling





MANUFACTURER

Manufacturer	FP McCann
Address	3 Drumard Road, Knockloughrim
Website	fpmccann.co.uk
Period of Data	2023

PRODUCT

Declared Product	Morticed/Recessed Post Gravel Board 3000
Product Range	Fencing
Place of Production	United Kingdom
Product Mass (T)	0.0524
GWP, A1-A3 (Kg CO ₂ e)	10
Description	Concrete is specified in accordance with BS 8500 and BS EN 206. The recycled content for steel has been assumed to be 97%. Generic industry data has been used



SCAN THE QR CODE TO VIEW OUR SUSTAINABILITY BOOKLET

MARK MCCANN Director/Chief Engineer

MAL

GWP

This document quantifies the Global Warming Potential (GWP) of the declared product. This may also be referred to as the carbon footprint or embodied carbon.


STANDARDS

This document has been generated using One Click LCA software and report ISO 14021 self-declared results, calculated according to ISO 14040 and ISO 14044 standards. The results follow ISO 21930/EN 15804+A2.

for materials, energy and transport.

SCOPE OF ASSESSMENT

The results have a cradle-to-gate scope, comprising raw materials extraction and supply (A1), transport (A2) and manufacturing (A3).



Pro	oduct St	age	Construction Use St				lse Stag	Stage				End of life stage				Beyond the system boundary		
A1	A2	А3	A4	A5	B1	B2	ВЗ	B4	B5	В6	В7	C1	C2	C3	C4	D	D	D
X	Χ	Х				Modules Not Declared												
Raw Materials	Transport to site	Manufacturing	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy	Operational water	Deconstruction	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling